

IGBC BEAR-RESISTANT PRODUCTS



Introduction3

LIST A – IGBC Bear-Resistant Products Confirmed As Available for Purchase.....4

 Back Packing & Small Storage Containers.....4

 Panniers and Boxes.....5

 Coolers.....5

 Garbage Containers, Food Storage Lockers & Recycling Units7

 Accessories.....9

LIST B - IGBC Bear-Resistant Products Not Confirmed Available for Purchase.....10

 Back Packing & Small Storage Containers.....10

 Panniers and Boxes.....11

 Coolers.....14

 Garbage Containers, Food Storage Lockers & Recycling Units.....22

LIST C - Electric Fences.....27

 Permanent Electric Fencing Design.....28

 Portable Electric Fence Designs.....29

 IGBC-Certified Portable Electric Fencing Products.....30

Introduction

Interagency Grizzly Bear Committee (IGBC) Bear-Resistant Products (BRPs) provide a way to meet requirements to secure food, garbage, and other attractants on public and private lands. These BRPs have been tested by the IGBC and meet or exceed minimum IGBC standards. Interagency Grizzly Bear Committee BRPs are one method of complying with some food and garbage storage requirements on public lands. These requirements apply to most National Forests, National Parks, and federal lands managed by the Bureau of Land Management within grizzly bear range. They may also apply on some state lands. In addition, some municipalities, private land owners, and homeowners associations require use of IGBC BRPs.

The IGBC maintains three lists of Bear-Resistant Products and Designs.

- [List A](#) includes Products that the IGBC has confirmed are available for purchase. Links provided with these products connect to the manufacturer's homepage or other websites where the product can be purchased.
- [List B](#) includes Products that have met IGBC standards but cannot be confirmed as still meeting IGBC standards or being available for purchase.
- [List C](#) includes electric fence designs and products that have been tested and meet IGBC standards for use in grizzly-occupied areas.

Products on both lists have met IGBC standards as grizzly bear-resistant but it is not a guarantee that a grizzly bear cannot gain entry into these products. Nor does the IGBC guarantee that small amounts of the contents of the containers won't be able to leak or spill out.

These lists of commercial products and suppliers is for information only and does not imply any endorsement of one product or source over another. Products are generally arranged in alphabetical order.

This official list of bear-resistant products will be updated as needed. Please note that some products may be marketed or sold under different brand names.

LIST A - IGBC BEAR-RESISTANT PRODUCTS

CONFIRMED AS AVAILABLE FOR PURCHASE

BACK PACKING & SMALL STORAGE CONTAINERS

ADOTEC

Ultralight Food Locker, Grizzly Bear Model – IGBC Certification No. 245493 (Approved 08-13-24)
226-456-3316 www.adotecgear.com

ALUBOX.COM

Metal Storage Case, Model A042 - IGBC Certification No. 5411 (Approved 8-10-21)
+45 57601002 www.alubox.com

BearVault

BV425 - IGBC Certification No. 5422 (Approved 6/13/22)
BV450 - IGBC Certification No. 5339
BV475 - IGBC Certification No. 5423 (Approved 6/13/22)
BV500- IGBC Certification No. 5340
866-301-3442 <http://www.bearvault.com>

Grub Can

Wave 6.6 - IGBC Certification No. 5414 (Approved 10-11-21) NOT CURRENTLY IN PRODUCTION
Wave 10.0 - IGBC Certification No. 5415 (Approved 10-11-21) NOT CURRENTLY IN PRODUCTION
Carbon 6.6 - IGBC Certification No. 5427 (Approved 6-23-22)
Carbon 4.5 - IGBC Certification No. 235484 (Approved 10-25-23)
928-853-8070 www.grubcan.com

Missoula Technical Development Center

Modifications to 50 Caliber Ammo Box: Military grade solid steel ammunition cans, with hinged lid and locking latch. Must be modified to include a bolt (with nut and washer) through the latch that prevents the latch from being opened and lid removed when bolt is in place (as shown in "[Interagency Grizzly Bear Committee. 1989. Bear-Resistant Containers – Minimum design and structural standards; Inspection and testing methodology.](#) Page 18."). These types of ammunition cans are available in various sizes. Acceptable dimensions include: length: 10"–19; height: 7" – 15"; width: 3" – 10 ". IGBC Certification No. 5419

REI

Traverse Bear Can, Model 25200 – IGBC Certification No. 245491 (Approved June 27, 2024)
www.rei.com

Ursack (Bear Saga, LLC)

Food Storage Bag – Model: Ursack Major (Previously the S29 AllWhite) – **IGBC Certification No. 3738**

Food Storage Bag – Model: AllMitey – **IGBC Certification No. 5135 (Approved 4-24-17)**

440-570-1503 www.ursack.com

Open-Head Steel Drums

Open-head, steel drums, sizes 5 to 55 gallons, with steel lids that attach to the drum head with a metal ring around the rim that is secured with a bolt and nut, or with a self-locking lever that is secured with a metal carabiner or padlock. Drums should be constructed of 12 – 20 gauge steel (i.e., steel thickness between 0.9 mm (0.035”) and 1.5 mm. (0.059”). - **IGBC Certification Number 235466 (Approved May 10, 2023)**

PANNIERS and BOXES

Industrial Design & Equipment, Inc. DBA Indeco Inc.

Aluminum Storage Pannier Model 3.03 – **IGBC Certification No. 3767**

360-393-9750 <http://www.indeco-usa.com>

Mad Cow Metal Works

Aluminum dry boxes ranging in size from 12”x8”x7” to 40”x16”x16”, **IGBC Certification No. 3353**

Aluminum horse pannier 24”x13”x18” – **IGBC Certification No. 3355**

406-581-9115 <http://madcowmetalworks.com>

Tee-N-Jay Mfg. (see Bear Aware)

COOLERS

**** COOLERS REQUIRE USE OF BOLTS AND NUTS OR APPROPRIATELY-SIZED PADLOCKS TO BE BEAR-RESISTANT ****

Bison Coolers

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Bison 25 QT Cooler, Model 500101 - **IGBC Certification No. 235482 (Approved 9/14/23)**

Bison 50 QT Cooler, Model 500201 - **IGBC Certification No. 235470 (Approved 7/25/23)**

Bison 75 QT Cooler, Model 500301 - **IGBC Certification No. 235480 (Approved 9/6/23)**

682-235-5125 www.bisoncoolers.com

Blueworks, LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Cobalt 55 QT Cooler – **IGBC Certification No. 245492 (Approved 07/19/24)**

866-474-2583 www.bluecoolers.com

Cixi Dafeng Plastic Metal Industry Co., Ltd.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Cooler Box Model GMD35L - IGBC Certification No. 235477 (Approved 8/15/23)

Cooler Box Model GMD65L - IGBC Certification No. 235478 (Approved 8/15/23)

86.0574.6222.1115 <http://good-mood.net>

Discover Home Products

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Camp-Zero Cooler, Model CZ-10L - IGBC Certification No. 5170 (Approved 10-16-17)

Camp-Zero Cooler, Model CZ-12L - IGBC Certification No. 225437 (Approved 10-17-22)

Camp-Zero Cooler, Model CZ-16L - IGBC Certification No. 5262 (Approved 8-30-19)

Camp-Zero Cooler, Model CZ-20L - IGBC Certification No. 5143 (Approved 5-1-17)

Camp-Zero Cooler, Model CZ-40L - IGBC Certification No. 5163 (Approved 8-24-17)

Camp-Zero Cooler, Model CZ-50L - IGBC Certification No. 235481 (Approved 9-14-23)

Camp-Zero Cooler, Model CZ-60L - IGBC Certification No. 5146 (Approved 5-8-17)

Camp-Zero Cooler, Model CZ-80L - IGBC Certification No. 5144 (Approved 5-1-17)

Camp-Zero Cooler, Model CZ-110L - IGBC Certification No. 5145 (Approved 5-1-17)

636-600-1895 www.camp-zero.com

EUFOURIC Brands

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Maluna Unhinged 22 QT Cooler - IGBC Certification No. 235471 (Approved 7-31-23)

Maluna Unhinged 50 QT Cooler - IGBC Certification No. 235472 (Approved 7-31-23)

Maluna Unhinged 70 QT Cooler - IGBC Certification No. 235473 (Approved 7-31-23)

218-822-4547 www.eufouric.com

GoatBoxCo.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

HUB 50 Cooler - IGBC Certification No. 225430 (Approved 8/4/22)

HUB 70 Cooler - IGBC Certification No. 225435 (Approved 10/17/22)

979-575-0182 www.goatboxco.com

Grizzly Coolers LLC

Grizzly 45 Cooler, Model G45 – IGBC Certification No. 235468 (Approved 08/7/23)

844-474-9872 www.grizzlycoolers.com

Mid-States Distributing

Outdoor Revival 20 QT Cooler, Model OR061 – IGBC Certification No. 235479 (Approved 08/17/23)

682-777-0282 www.msdist.com

Permafrost Coolers LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Lone Mountain 20QT cooler – IGBC Certification No. 5421 (Approved 06/13/22)

Lone Mountain 60QT cooler – IGBC Certification No. 225436 (Approved 10/17/22)

Lone Mountain 110QT cooler – IGBC Certification No. 5429 (Approved 7/22/22)

406-209-5156 www.permafrostcoolers.com

Shark Ninja

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Ninja Frost Vault 30QT cooler – **IGBC Certification No. 245490 (Approved 05/16/24)**

Ninja Frost Vault 50QT cooler – **IGBC Certification No. 245488 (Approved 04/17/24)**

617-785-6394 www.sharkninja.com

YETI

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Roadie 48 Wheeled cooler – **IGBC Certification No. 245489 (Approved 04/29/24)**

www.yeti.com

GARBAGE CONTAINERS, FOOD STORAGE LOCKERS, RECYCLING UNITS & GREASE BINS

Back Alley Metals – Back Alley Bear Can

33-gallon Metal Recycle Box – **IGBC Certification No. 3354**

Metal Bag Enclosure “D’Bear” – **IGBC Certification No. 5331 (Approved 7/10/2009)**

406-425-0244 or 406-425-1533 www.backalleymetals.com

Bear Guardian

B-100 Bitterroot Series trash receptacle for 32-gallon trash can (revised latch May 2020) **IGBC Cert. No. 3746**

B-200 Bitterroot Series trash receptacle for (2) 32-gallon trash cans (revised latch May 2020) **IGBC Cert. No. 3747**

S-111 Selway Series 11 cu ft Food Storage Locker **IGBC Certification No. 3748**

S-115 Selway Series 15 cu ft Food Storage Locker **IGBC Certification No. 5274 (Approved 5/26/10)**

S-124 Selway Series 24 cu ft Food Storage Locker S124 (Updated latch 5/2020) **IGBC Cert. No. 5212 (App. 1/24/18)**

S-130 Selway Series 30 cu ft Food Storage Locker (updated latch 5/2020) **IGBC Certification No. 5061**

S-215 Selway Series 30 cu ft Double Compartment Food Storage Locker **IGBC Certification No. 5360 (Approved 5/5/20)**

T-400 Teton Series 4 yd dumpster **IGBC Certification No. 5218 (Approved 2/18/18)**

T-400 CH Teton Series 4 yd dumpster with chute **IGBC Certification No. 5359 (Approved 5/5/20)**

T-600 Teton Series 6 yd dumpster (double access doors) (updated latch 5/2020) **IGBC Cert. No. 5220 (App. 2/21/18)**

T-600 CH Teton Series 6 yd dumpster (with chute) **IGBC Certification No. 5358 (Approved 5/5/20)**

T-800 Teton Series 8 yd dumpster **IGBC Certification No. 5219 (Approved 2/18/18)**

208-356-3263 www.bearguardian.com

BearSaver

Dumpster: 3-yrld, front-load - **IGBC Certification No. 5369**

Food Storage Locker: FS15 - **IGBC Certification No. 5371**

Food Storage Locker: FS16 - **IGBC Certification No. 5372**

Food Storage Locker: FS20 - **IGBC Certification No. 5373**

Food Storage Locker: FS24 - **IGBC Certification No. 5374**

Food Storage Locker: FS30 - **IGBC Certification No. 5375**

Trash/Recycling Unit: HB-1 - **IGBC Certification No. 5376**

Trash/Recycling Unit: HB-1 Mini - **IGBC Certification No. 5377**

Trash/Recycling Unit: HB-2 - **IGBC Certification No. 5378**

Trash/Recycling Unit: HB-2 Mini - **IGBC Certification No. 5379**

Trash Enclosure – Single: BE1-P - **IGBC Certification No. 5380**

Recycling Enclosure – Single, Model BE1-Y - **IGBC Certification No. 5381**

Trash Enclosure – Double, BE2-P - **IGBC Certification No. 5382**
Recycling Enclosure – Double, BE2-Y - **IGBC Certification No. 5383**
Trash/Recycling Combo Unit - Double: BE2-PX - **IGBC Certification No. 5384**
Trash Cans and Recycle Bins: “CE Series” - **IGBC Certification No. 5385**
Trash Cans and Recycle Bins: “HA Series” - **IGBC Certification No. 5386**
Residential Trash Cart Enclosure: RCE195F - **IGBC Certification No. 5387**
Residential Trash Cart Enclosure – 35 Gallon: RCE135F - **IGBC Certification No. 5388**
Trash/Recycling Unit: “RCE Series” - **IGBC Certification No. 5393**
Mini-Depot Triple Recycling Unit: MDYP-LL - **IGBC Certification No. 5366**
Mini-Depot Trash/Recycling Combo Unit: MDYP-LL-X - **IGBC Certification No. 5367**
800-851-3887 <http://www.bearsaver.com>

Bear Stop Box - (I.C. Refrigeration Service Inc.)

Bear Stop Box, Model 2CCGCE - **IGBC Certification # 235487 (Approved 12-21-23)**
209-538-8271 www.bearstop.org

Gardner Garbage Service

Grizzly Guard, Model 1 – **IGBC Certification No. 245495 (Approved 12/11/24)**
406-224-7642

Grizzly Fabrication & Welding, LLC

Food storage locker, 12 cu³ ft, Model 612C-RE – **IGBC Certification No. 5185 (Approved 11/27/12)**
Food storage locker, 15 cu³ ft, Model 615C-RE – **IGBC Certification No. 5186 (Approved 11/27/17)**
Food storage locker, 24 cu³ ft, Model 624C-RE – **IGBC Certification No. 5187 (Approved 11/27/17)**
Food storage locker, 30 cu³ ft, Model 630C-RE – **IGBC Certification No. 5044 (Approved 11/21/17)**
2 yd dumpster with single latch – **IGBC Certification No. 5191 (approved 8/4/09)**
4 yd dumpster with single latch – **IGBC Certification No. 5192 (approved 8/4/09)**
(307)271-1267 grizfab@outlook.com www.grizfab.com

Haul-All Equipment Systems, Ltd.

Freedom 32 - **IGBC Certification No. 3332**
Discovery - **IGBC Certification No. 3333**
Dumpster, 6-yd³ Front Load, Model # CFL6 – **IGBC Certification No. 3363**
Hid-A-Bag I Mini, Model # HBIM-P – **IGBC Certification No. 5109 (Approved 10/31/16)**
Hid-A-Bag II Mini, Model # HBIIIM-PG – **IGBC Certification No. 5108 (Approved 10/31/16)**
Hid-A-Bag I, Model# HBIS-P – **IGBC Certification No. 5110 (Approved 10/31/16)**
Hid-A-Bag II, Model # HBIIIS-PG – **IGBC Certification No. 5113 (Approved 11/14/16)**
Front Load Dumpster, Model #BT-1705 – **IGBC Certification No. 5111 (Approved 11/14/16)**
Sentinel, Model #OB70 – **IGBC Certification No. 5112 (Approved 11/14/16)**
Hid-A-Way - 4 YD dumpster, Model # HL4T - **IGBC Certification No. 5114 (Approved 11/14/16)**
Hid-A-Way - 6 YD dumpster, Model # HL6T - **IGBC Certification No. 5122 (Approved 11/14/16)**
403-328-7788 www.haulall.com

Northland Products, Inc.

Kodiak Can, 65-gal, rotating knob latch, Model KP65- HDRK - **IGBC Certification # 5142 (Approved 4-30-17)**

Kodiak Can, 95-gal, Model KP-95 HD- **IGBC Certification # 5048 (Approved 5-27-16)**

Kodiak Can, 95-gal, heavy weight; rotating knob latch, Model KP-95X HD - **IGBC Certification #5071 (App. 7-5-16)**

Kodiak Can, 95-gal, standard weight/rotating knob latch release, Model KP95-HDRK - **IGBC Cert. # 5136 (App. 7-5-16)**

Kodiak Can, 95-gal, standard weight w/ rotating knob latch release, Model KP95-HDRK - **IGBC Cert. #5229 (App. 5-10-18)**

Kodiak Can, 65 gal., lever latch, 40 lbs total weight, Model # KP65-HDLL – **IGBC Certification No. 5396 (App. 4-27-17)**

Kodiak Can, 95 gal., lever latch, 34 lb can, 8 lb lid), Model # KP95-HDLL – **IGBC Certification No. 5397 (App. 4-11-18)**

928-636-9298 www.kodiak-products.com

San Dimas Technology and Development Center - 2-yd³ Bear-Resistant Dumpster

909-599-1267 <http://www.fs.fed.us/t-d/> username: t-d: password: t-d

See Recreation Management Tech Tip # 0323 1302 SDTDC.

Shoshone National Forest - Steel Bear Box, welded or bolted with or without stand.

Toter LLC

64 gallon, fully-automated refuse cart, Model 79A64-A - **IGBC Certification Number 5416 (Approved 10/28/21)**

96 gallon, fully-automated refuse cart, Model 79A96-B - **IGBC Certification Number 245494 (Approved 11/05/24)**

704-768-2599 www.toter.com

UCO Totes

UCO Totes Grease Bin, Model 134 gallon - **IGBC Certification # 235474 (Approved 08-03-23)**

UCO Totes Grease Bin, Model 209 gallon - **IGBC Certification # 235475 (Approved 08-03-23)**

UCO Totes Grease Bin, Model 314 gallon - **IGBC Certification # 235476 (Approved 08-03-23)**

360-205-3252 www.ucototes.com

Accessories

BearBolts

Original BearBolt – **IGBC Certification No. 225432 (Approved 10/20/22)**

BearBolts, Version 2.0 – **IGBC Certification No. 245496 (Approved 12/12/24)**

www.bearbolts.com 337-257-8082



Bear-Resistant Products Testing Program

LIST B - BEAR-RESISTANT PRODUCTS NOT CONFIRMED AS AVAILABLE FOR PURCHASE

The products listed below met IGBC bear-resistant design and structural standards at the time they were tested; however, the IGBC is unable to confirm that the products still meet IGBC standards or that the products are currently available for purchase.

BACK PACKING & SMALL STORAGE CONTAINERS

The Bare Boxer, Golf City Products

Contender, Model 101 – **IGBC Certification Number 5438**

Champ, Model 202- **IGBC Certification No. 5333**

BearVault

BV250 Solo- **IGBC Certification No. 5305**

BV300- **IGBC Certification No. 5306**

BV350 Solo- **IGBC Certification No. 5310**

BV400- **IGBC Certification No. 5323**

Craftsman Tech Composites

Wise Backpack (~3600 in³ capacity) - **IGBC Certification No. 3349**

Counter Assault

Bear Keg- **IGBC Certification No. 5341**

Frontiersman by Security Equipment Corporation

Frontiersman Insider Bear Safe – Model FBS-100-A- **IGBC Certification No. 5175 (Approved 11/16/17)**

Frontiersman Insider Bear Safe – Model FBS-100-B- **IGBC Certification No. 5176 (Approved 11/16/17)**

Garcia Machine

Backpackers' Cache - Model 812 - **IGBC Certification No. 5298**

Grub Can

GL500 Backpacking canister - **IGBC Certification No. 5277 (Approved 7/16/19)**

JP Enterprises

35 Gallon Plastic Screw-Top Over Pak Container - **IGBC Certification No. 5309 (Approved 3/9/11)**

Lighter1 Bear Canisters

Big Daddy Model (2.29 lbs) - **IGBC Certification No. 3350**

Lil' Sami Model (1.34 lbs) - **IGBC Certification No. 3351**

Loctote Industrial Bag Company

Flak Sack – Model 21228 - **IGBC Certification No. 5160 (Approved 7-25-17)**

Flak Sack Coalition– Model 21242 - **IGBC Certification No. 5164 (Approved 8-24-17)**

Outfitters Supply, Inc.

Trail Max Pack Panniers Item# WPA500 – **IGBC Certification No. 5279 (Approved 04/30/10)**

Riley Stove Company

Grain Storage Container- **IGBC Certification No. 5342**

Food Storage Container- **IGBC Certification No. 5343**

Insulated Cooler- **IGBC Certification No. 5344**

UDAP Industries Inc.

“No Fed Bear” Canister- **IGBC Certification No. 5345**

Vernon Matthews

Greif Bros. 8 Gallon Steel Drum, Model OH8-1R - **IGBC Certification No. 5440**

Greif Bros. 10 Gallon Steel Drum, Model OH10-1R - **IGBC Certification No. 5439**

Wes Mauz

Aluminum Canister - **IGBC Certification No. 5441**

World Safety Products

Overpack Plastic Drums – 65 gallon (with modified metal reinforced lid) - **IGBC Certification No. 5442**

Overpack Plastic Drums – 95 gallon (with modified metal reinforced lid) - **IGBC Certification No. 5443**

Overpack Plastic Drums – 30 gallon (with modified metal reinforced lid) - **IGBC Certification No. 5441**

PANNIERS and BOXES

Bear Aware/Tee-N-Jay Mfg.

28” Large Dry Box - Model #281816DRY - **IGBC Certification No. 5332**

Bear Country Containers - Jerry Kawasaki

Model Camp Cupboard- **IGBC Certification No. 4892C (Approved 3/26/15)**

Buckstitch Canvas Saddle and Tack

Aluminum Kitchen Pannier - **IGBC Certification No. 5444**

Storage Pannier - **IGBC Certification No. 5445**

Colorado River and Trails Expeditions Inc.

Rafting Dry Box - **IGBC Certification No. 5446**

Columbia Construction, Inc.

Aluminum Panniers - **IGBC Certification No. 5447**

Decarteret Pack Equipment

Aluminum Panniers - **IGBC Certification No. 5448**

DW Metal Works

Aluminum Pannier, Model APDW092020 – **IGBC Certification No. 5395 (Approved 11/20/20)**

Evans Feed and Livestock Supply

Plastic Pannier/Bear Box – **IGBC Certification No. 5449**

ECS Composites

Octagonal Plastic Dry Box – **IGBC Certification No. 5295 (Approved 3/23/05)**

Greenlee

Mobile Storage Chest, Model 2448 - **IGBC Certification No. 5450**

Howling Wind Welding

Aluminum Storage Pannier- **IGBC Certification No. 5451**

Steve Kirko

Kanz Outdoors LLC

Field Pantry P120 – **IGBC Certification No. 3537**

Kirkham Motorsports

Camp Loll Bear Box, Model #A – **IGBC Certification No. 5068 (Approved 5/27/16)**

Koffler Boats, Inc.

Small Pack Box – **IGBC Certification No. 3719 (Approved 1/14/15)**

Medium Pack Box – **IGBC Certification No. 3720 (Approved 1/14/15)**

Large Pack Box – **IGBC Certification No. 3721 (Approved 1/14/15)**

Small Pack Kitchen – **IGBC Certification No. 3722 (Approved 1/14/15)**

Large Pack Kitchen – **IGBC Certification No. 3723 (Approved 1/14/15)**

LMI Welding, Inc.

Various aluminum panniers – **IGBC Certification No. 5452**

Metalworks of Montana

Aluminum Pannier/Storage Box– **IGBC Certification No. 2810**

Ben Notti/Marshall Ridenour

Aluminum Panniers – IGBC Certification No. 5453

High Country Plastics bought mold in 2008 – *Changed on List from Outfitters Pack Station to High Country Plastics in August 2020*

Plastic Pannier, Item 1119-1 – IGBC Certification No. 3536

Pride – Metal

Food Storage Container – Model #91550 – IGBC Certification No. 5161 (Approved 8/11/17)

Animal-Resistant Trash Receptacle – Model #98477A - IGBC Certification No. 5162 (Approved 8/11/17)

Recretec Manufacturing, Inc.

Aluminum Dry Boxes ranging in size from 8"x10"x16" to 18"x18"x44": IGBC Certification No. 3850

541-757-7567 <http://www.recretec.com>

Robertson Enterprises

Mountaineer Grain Pannier, Model 312 – IGBC Certification No. 5177

Mountaineer Mule Pannier, Model 304 – IGBC Certification No. 5178

Mountaineer Camp Kitchen, Model 310 – IGBC Certification No. 5179

Mountaineer Kitchen Pannier, Model 309 – IGBC Certification No. 5180

Mountaineer Storage /Cooler Pannier, Model 311 – IGBC Certification No. 5181

Wyoming Outdoor Industries Storage Pannier, Model 335 – IGBC Certification No. 5189

Wyoming Outdoor Industries Kitchen Pannier, Model 330 – IGBC Certification No. 5190

RE Camp Kitchen Pannier – IGBC Certification No. 5394 (Approved 11-12-20)

Salem Tent and Awning

Model HBR – IGBC Certification No. 5356

Bob Skorz

Plastic Kitchen Pannier – IGBC Certification No. 5454

Teton Welding

Aluminum Panniers – IGBC Certification No. 5390

Ron Terrill

Aluminum Kitchen Pannier – IGBC Certification No. 5455

Wind River Products

Backpack Container - IGBC Certification No. 5351

Regular Pannier - IGBC Certification No. 5352

Decker Style Pannier - IGBC Certification No. 5353

Zarges Inc.

Aluminum Case, Model Zarges K470 # 40810 - IGBC Certification No. 5001

Aluminum Case, Model Zarges K470 # 40568 - IGBC Certification No. 5398

Aluminum Case, Model Zarges K470 # 40678 - IGBC Certification No. 5021

704-357-6285 <http://www.ZargesUSA.com>

Ziegel Engineering

Ziegel Aluminum Box WD5 (Bear Box 1) – IGBC Certification No. 5364

Ziegel Aluminum Box WD6 (Bear Box 2) – IGBC Certification No. 5365

COOLERS

**** COOLERS REQUIRE USE OF BOLTS AND NUTS OR
APPROPRIATELY-SIZED PADLOCKS TO BE BEAR-RESISTANT ****

AIRIA LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

AIRIA 50 QT Cooler – IGBC Certification No. 5085 (Approved 7/28/2016)

AIRIA 75 QT Cooler – IGBC Certification No. 5092 (Approved 9/29/2016)

Anhui Light Industries International Co., LTD. (ALIC)

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

ALIC 60 QT Cooler - IGBC Certification No. 235485 (Approved 11/10/23)

86-551-62299440 www.alic.com

Bass Pro Shops

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

50 QT Rotomold Cooler - IGBC Certification No. 235483 (Approved 10/25/23)

417-873-5602 www.basspro.com

BIG FRIG

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Badlands 45 QT Cooler, Model BFBB45 - IGBC Certification No. 5401 (Approved 5/12/21)

Badlands 10 QT Cooler, Model BFB10 - IGBC Certification No. 5405 (Approved 6/14/21)

605-540-0911 <http://www.bigfrig.com>

Blackbird Products

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Titan Series Cooler, Model MT65 – IGBC Certification No. 5009

Titan Series Cooler, Model MT75 – IGBC Certification No. 5026

Titan Series Cooler, Model MT110 – IGBC Certification No. 5027

Titan Series Cooler, Model MT125 – IGBC Certification No. 5010

Ranger 65 Cooler, Model MR65 – IGBC Certification No. 5174 (Approved 11/16/17)

Blueworks, LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Blue Coolers 30 QT Cooler, Model Companion 30 QT - IGBC Certification No. 235486 (Approved 11/10/23)
866-474-2583 www.bluecoolers.com

Cabela's Polar Cap Cooler/Submitted by Premier O.E.M.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Cabela's Polar Cap cooler, Model #25 Quart - IGBC Certification No. 5020
Cabela's Polar Cap cooler, Model #40 Quart - IGBC Certification No. 5046 (Approved 8/31/15)
Cabela's Polar Cap cooler, Model #60 Quart - IGBC Certification No. 5023
Cabela's Polar Cap cooler, Model #80 Quart - IGBC Certification No. 5047 (Approved 8/31/15)
Cabela's Polar Cap cooler, Model #100 Quart - IGBC Certification No. 5045 (Approved 8/31/15)

California Innovations (see also Ozark Trail Coolers)

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Ozark Trail 16QT Cooler – IGBC Certification No. 5242 (Approved 8/20/18)
Ozark Trail 45QT Rolling Cooler – IGBC Certification No. 5272 (Approved 12/03/19)
Ozark Trail 110QT Rolling Cooler – IGBC Certification No. 5224 (Approved 3/2/18)
Ozark Trail/Titan DeepFreeze™ Cooler model # 70L – IGBC Certification No. 5007
Ozark Trail/Titan DeepFreeze™ Cooler model # 50L – IGBC Certification No. 5018
Ozark Trail/Titan DeepFreeze™ Cooler model # 25L – IGBC Certification No. 5008
Columbia 25QT Cooler – IGBC Certification No. 5241 (Approved 7/24/18)
Columbia PFG 50QT Cooler – IGBC Certification No. 5253 (Approved 5/3/19)
Titan Cooler, Model 20 QT– IGBC Certification No. 5243 (Approved 9/11/18)
Titan Cooler, Model 55 QT– IGBC Certification No. 5244 (Approved 10/25/18)

Canyon Coolers

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Outfitter 35 Cooler - IGBC Certification No. 5022 (Approved 5/17/16)
Outfitter 55 Cooler - IGBC Certification No. 5119 (Approved 11/2/16)
Outfitter 75 Cooler - IGBC Certification No. 5120 (Approved 11/2/16)
Prospector 103 Cooler - IGBC Certification No. 5094 (Approved 3/31/16)
Outfitter 125 Cooler – IGBC Certification No. 3769
PRO65 Cooler – IGBC Certification No. 5304 (Approved 7/20/20)

Cascade Mountain Tech

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

45QT Super Cooler A, Model RC-45-WH - IGBC Certification No. 5231 (Approved 5/29/18)
45QT Super Cooler B, Model RC-45-WH - IGBC Certification No. 5230 (Approved 5/29/18)
80QT Cooler, Model CMT80QR - IGBC Certification No. 5173 (Approved 11/16/17)

Chard International

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

PermaChill Cooler model # RC-50W – IGBC Certification No. 3749
PermaChill Cooler model # RC-70W – IGBC Certification No. 3750
PermaChill Cooler model # RC-120W – IGBC Certification No. 3751

Cixi Dafeng Plastic Metal Industry Co., Ltd.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Cooler Box Model GMD20L - IGBC Certification No. 5271 (Approved 11/13/19)

Cooler Box Model GMD55L - IGBC Certification No. 5261 (Approved 7/23/19)

Cooler Box Model GMD75L - IGBC Certification No. 5269 (Approved 10/28/19)

Cold Bastard Outdoors

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Hard Cooler, Model Rugged+45 – IGBC Certification No. 5389 (Approved 8/21/20)

Hard Cooler, Model Rugged+70QTW – IGBC Certification No. 5406 (Approved 6/14/21)

Hard Cooler, Model Rugged+20QT – IGBC Certification No. 5407 (Approved 7/21/21)

Coleman Company

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Esky 55 Cooler, model #3000002623 – IGBC Certification No. 3752 (Approved 8/21/14)

Esky 85 Cooler, model #3000002624 – IGBC Certification No. 3753 (Approved 8/22/14)

Cordova Coolers

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Cordova Small, Model 28QT- IGBC Certification No. 5232 (Approved 5/29/18)

Cordova Medium, Model 45QT- IGBC Certification No. 5233 (Approved 5/29/18)

Cordova Large, Model 86QT- IGBC Certification No. 5234 (Approved 5/29/18)

Cordova X-Small, Model CCXS- IGBC Certification No. 5273 (Approved 12/03/19)

Cordova X-Large, Model 126QT- IGBC Certification No. 5235 (Approved 5/29/18)

Dick's Sporting Goods

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Field & Stream Arctic Vault 35 Cooler, Model CEH01712 – IGBC Certification No. 5002

Field & Stream Arctic Vault 45 Cooler, Model CEH01713 – IGBC Certification No. 5019

Field & Stream Arctic Vault 65 Cooler, Model CEH01714 – IGBC Certification No. 5003

Elkhart Products

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Kong Cooler, Model 25 QT - IGBC Certification No. 5147 (Approved 5-12-17)

Kong Cooler, Model 50 QT - IGBC Certification No. 5148 (Approved 5-12-17)

Kong Cooler, Model 70 QT - IGBC Certification No. 5149 (Approved 5-12-17)

Kong Cooler, Model 110 QT - IGBC Certification No. 5225 (Approved 5-4-18)

(360) 223-0439 www.epi-roto.com

Engel USA

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Deepblue High Performance Cooler, model # ENG25- IGBC Certification No. 5077

Deepblue High Performance Cooler, model # ENG35- IGBC Certification No. 5078

Deepblue High Performance Cooler, model # ENG50- IGBC Certification No. 5079

Deepblue High Performance Cooler, model # ENG65 – IGBC Certification No. 5456

Deepblue High Performance Cooler, model # ENG80- IGBC Certification No. 5080

Deepblue High Performance Cooler, model # ENG123- IGBC Certification No. 5081

Deepblue High Performance Cooler, model # ENG165- IGBC Certification No. 5082

Deepblue High Performance Cooler, model # ENG240- IGBC Certification No. 5083
Deepblue High Performance Cooler, model # ENG320- IGBC Certification No. 5084

EUFOURIC Brands

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Maluna Unhinged Cooler, Model 40QT - IGBC Certification No. 5424 (Approved 6-13-22)
(218) 822-4547 www.eufouric.com

Extreme Cold, LLC.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Extreme Cold 25 cooler model #25L/ESCECWW025L01 - IGBC Certification No. 3759
Extreme Cold 35 cooler model #35L/ESCECWW035L01 - IGBC Certification No. 3760
Extreme Cold 50 cooler model #50L/ESCECWW050L01 - IGBC Certification No. 3761
Extreme Cold 75 cooler model #75L/ESCECWW075L01 - IGBC Certification No. 3762
Extreme Cold100 cooler model #100L/ESCECWW100L01 - IGBC Certification No. 3763
Extreme Cold 150 cooler model #150L/ESCECWW150L01 - IGBC Certification No. 3764

Forcome (Shanghai) Co., Ltd.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

20QT Cooler model# 2A-CM185W - IGBC Certification No. 5247 (Approved 12/04/18)
30L Cooler model# 2A-CM001 - IGBC Certification No. 5152 (Approved 6/27/17)
50QT Cooler model# 2A-CM002 - IGBC Certification No. 5153 (Approved 6/27/17)
85QT Wheeled Cooler model# 2A-CM005 - IGBC Certification No. 5166 (Approved 9/12/17)
65L Cooler model# 2A-CM003 - IGBC Certification No. 5157 (Approved 7/6/17)
65QT Cooler model# 2A-CM189 - IGBC Certification No. 5256 (Approved 5/24/19)
110QT Cooler model# 2A-CM006 - IGBC Certification No. 5167 (Approved 10/2/17)
110QT Cooler model# 2A-CM191W - IGBC Certification No. 5361 (Approved 5/8/20)
85L Cooler model# 2A-CM004 - IGBC Certification No. 5158 (Approved 7/6/17)
50L Cooler model# 2A-CM152 - IGBC Certification No. 5074
100L Cooler model# 2A-CM153 - IGBC Certification No. 5075
125QT Cooler model# 2A-CM007 - IGBC Certification No. 5168 (Approved 10/2/17)

Gander Outdoors & Camping World

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Perma Chill Cooler, Model 20 QT – IGBC Certification No. 5270 (Approved 10-28-19)
Perma Chill Cooler, Model 50 QT – IGBC Certification No. 5265 (Approved 10-8-19)
Perma Chill Cooler, Model 80 QT – IGBC Certification No. 5257 (Approved 7-15-19)

Grizzly Coolers, LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Grizzly Cooler, Model G15, Part No. IRP-9100 – IGBC Certification No. 5006
Grizzly Cooler, Model G60, Part No. IRP-9110 – IGBC Certification No. 5025
Grizzly Cooler, Model Grizzly 100, IRP-9140 – IGBC Certification No. 5066 (Approval date 5/17/16)
Grizzly Cooler, Model Grizzly165 – IGBC Certification No. 5165 (Approval date 8/28/17)
Cooler, Model “Outback” (49” Long x 23” Deep x 21” Tall): IGBC Certification No. 5303
Grizzly 400 model # IRP-8040: IGBC Certification No. 3402
Grizzly 150 model # IRP-8060: IGBC Certification No. 3401
Grizzly 75 model # IRP-9070: IGBC Certification No. 3370
Grizzly 60 model # IRP-8070: IGBC Certification No. 3359
Grizzly 40 model # IRP-9080: IGBC Certification No. 3369

Grizzly 20 model # IRP-9090: **IGBC Certification No. 3725**
Grizzly 16 model # IRP-9050: **IGBC Certification No. 3362**

Iowa Rotocast Plastics, Inc. (AKA Grizzly Coolers)

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Cooler, Model "Outback": **IGBC Certification No. 5303**
Grizzly 400 model # IRP-8040: **IGBC Certification No. 3402**
Grizzly 150 model # IRP-8060: **IGBC Certification No. 3401**
Grizzly 75 model # IRP-9070: **IGBC Certification No. 3370**
Grizzly 60 model # IRP-8070: **IGBC Certification No. 3359**
Grizzly 40 model # IRP-9080: **IGBC Certification No. 3369**
Grizzly 20 model # IRP-9090: **IGBC Certification No. 3725**
Grizzly 16 model # IRP-9050: **IGBC Certification No. 3362**
Bud Light 40QT Cooler, Model 3001069 – **IGBC Certification No. 5404 (Approved 5/13/21)**
(800) 553-0050 www.irpinc.com

ICEHOLE Coolers

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Cooler, model 60 QT – **IGBC Certification No. 3358 (Approved 11/15/12)**

Jackson Kayak/Orion Coolers

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Orion 25-Quart Cooler: **IGBC Certification No. 5005**
Orion 35-Quart Cooler: **IGBC Certification No. 5063 (Approved 5/18/16)**
Orion 45-Quart Cooler: **IGBC Certification No. 5024**
Orion 55-Quart Cooler: **IGBC Certification No. 5064 (Approved 5/18/16)**
Orion 65-Quart Cooler: **IGBC Certification No. 3700**
Orion 85-Quart Cooler: **IGBC Certification No. 5033**

KONG Coolers

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Cruiser Cooler – **IGBC Certification No. 5392 (Approved 10/15/20)**

Lerpin International LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Lerpin 25 Cooler, Model LC-25Q-WHT: **IGBC Certification No. 5250 (Approved 5/2/19)**
Lerpin 50 Cooler, Model LC-50Q-WHT: **IGBC Certification No. 5251 (Approved 5/2/19)**

Lifetime Products

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Lifetime 28 QT Cooler, Models 90911, 91020, 91023, 91024, 91183, 91226, 91289: **IGBC Cert. No. 5248 (Approved 12/05/18)**
Lifetime 28QT High Performance Cooler, Model 91178 – **IGBC Certification No. 5425 (Approved 6/21/22)**
Lifetime 48QT Cooler, Model 91074, 91227, 91325 – **IGBC Certification No. 5399 (Approved 5/12/21)**
Lifetime 55 QT Cooler, Models 90820, 90895, 90949, 91021, 90914: **IGBC Cert. No. 5169**
Lifetime 55 QT Wheeled Cooler, Model 91072, 91165: **IGBC Cert. No. 5391 (Approved 10/15/20)**
Lifetime 65 QT Cooler, Models 90983, 90997, 91005, 290983, 91061, 91085, 91070, 91131: **IGBC Cert. No. 5267 (Approved 10/22/19)**

Lifetime 65QT Wheeled Cooler, Model 91179 – IGBC Certification No. 5428 (Approved 7/22/22)
Lifetime 77 QT Cooler, Model 90903: IGBC Cert. No. 5245 (Approved 11/26/18)
Lifetime 115 QT Cooler, Models 91000, 91108: IGBC Cert. No. 5288 (Approved 7/10/20)

LIT Coolers LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

LIT Cooler Firefly, Model # TS 300: IGBC Certification No. 5067 (Approved date 5/27/16)
LIT Cooler, Model # TS 400: IGBC Certification No. 5073 (Approved date 7/14/16)
LIT Cooler, Model # TS 600: IGBC Certification No. 5072 (Approved date 7/14/16)

Mammoth/Blackbird

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Discovery 50 model # MD50T: IGBC Certification No. 3739
Discovery 60 model # MD60T: IGBC Certification No. 3741
Discovery 65 model # MD65T: IGBC Certification No. 3742
Discovery 75 model # MD75T: IGBC Certification No. 3743
Discovery 95 model # MD95T: IGBC Certification No. 3744
Discovery 115 model # MD115T: IGBC Certification No. 3745
Discovery 160 model # MD160T: IGBC Certification No. 3740

Olympia Tools International Inc.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

High Performance 26 QT Cooler: IGBC Certification No. 5150 (Approved 5/25/17)
High Performance 55 QT Cooler, Model # 84-263-0121: IGBC Certification No. 5254 (Approved 5/3/19)
High Performance 73QT Cooler - IGBC Certification No. 5159 (Approved 7/10/17)

ORCA Coolers - Outdoor Recreation Company of America

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

ORCA 20 QT Cooler, Model ORC020: IGBC Certification No. 5087 (Approved 8/24/16)
ORCA 26 QT Cooler, Model ORCW026: IGBC Certification No. 5089 (Approved 9/12/16)
ORCA 40 QT Cooler, Model ORCW040: IGBC Certification No. 5090 (Approved 9/12/16)
ORCA 58 QT Cooler, Model ORCW058: IGBC Certification No. 5091 (Approved 9/12/16)
ORCA 75 QT Cooler, Model ORCT075 (prev. listed as "Plains Cooler"): IGBC Certification No. 3360
ORCA 140 QT Cooler, Model ORCP140: IGBC Certification No. 5076 (Approved 7/8/16)

OtterBox

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Venture Cooler, Model 25 QT: IGBC Certification No. 5154 (Approved 6/27/17)
Venture Cooler, Model 45 QT: IGBC Certification No. 5141 (Approved 4/27/17)
Venture Cooler, Model 65 QT: IGBC Certification No. 5155 (Approved 6/27/17)

Ozark Trail (See California Innovations. IGBC Cert. Nos. for Titan DeepFreeze coolers are the same for same size coolers in the Ozark Trail line)

Pelican Products, Inc.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

ProGear Elite 20-qt Cooler, model# 20QT/32-20QT-MC-WHT: **IGBC Certification No. 3756**
ProGear Elite 35-qt Cooler, model# 35QT/32-35QT-MC-WHT: **IGBC Certification No. 3366**
ProGear Elite 45-qt Cooler, model# 45QT/32-45QT-MC-WHT: **IGBC Certification No. 3373**
ProGear Elite 45-qt Wheeled Cooler, - **IGBC Certification No. 5030 (Approved 5-27-16)**
ProGear Elite 65-qt Cooler, model# 65QT/32-65QT-MC-WHT: **IGBC Certification No. 3374**
Pelican Elite 70-qt Cooler, - **IGBC Certification No. 5086 (Approved 7/28/16)**
ProGear Elite 80-qt Wheeled Cooler - **IGBC Certification No. 5031 (Approved 5/27/16)**
ProGear Elite 95-qt Cooler, model# 95QT/32-95QT-MC-WHT: **IGBC Certification No. 3375**
ProGear Elite 150-qt Cooler, model# 150QT/32-150QT-MC-WHT: **IGBC Certification No. 3376**
ProGear Elite 250-qt Cooler, model# 250QT/32-250QT-MC-WHT: **IGBC Certification No. 3365**

Permafrost Coolers LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Permafrost 20-qt cooler – **IGBC Certification No. 5264 (Approved 9/20/19)**
Permafrost 45-qt cooler – **IGBC Certification No. 5259 (Approved 7/22/19)**
Permafrost 75-qt cooler – **IGBC Certification No. 5260 (Approved 7/22/19)**
Lone Mountain 35QT cooler – **IGBC Certification No. 5417 (Approved 11/16/21)**
Lone Mountain 45QT cooler – **IGBC Certification No. 5413 (Approved 9/16/21)**
Lone Mountain 75QT cooler – **IGBC Certification No. 5418 (Approved 11/22/21)**

Polaris Northstar/Submitted by Premier O.E.M.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Polaris Northstar 30 QT Cooler - **IGBC Certification No. 5028 (Approved 8/14/15)**
Polaris Northstar 60 QT Cooler - **IGBC Certification No. 5029 (Approved 8/14/15)**
Polaris Northstar 105 QT Cooler - **IGBC Certification No. 5226 (Approved 5/4/18)**

Premier OEM

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Premier OEM 60-qt cooler, Model # CAB4416 – **IGBC Certification No. 3380**

Rhino Rotational Molding

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Rhino True 22 Cooler - **IGBC Certification No. 5156 (Approved 7/6/17)**
Rhino True 42 Cooler – **IGBC Certification No. 3757**
Rhino 62QT Cooler - **IGBC Certification No. 5171 (Approved 10/30/17)**

RovR Products

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

RollR 80, 80 QT Cooler - **IGBC Certification No. 5238 (Approved 6/1/17)**
RollR 60, 60 QT Cooler - **IGBC Certification No. 5255 (Approved 5/24/19)**
IC 25, 25 QT Cooler - **IGBC Certification No. 5408 (Approved 7/21/21)**
RollR 45, 45 QT Cooler - **IGBC Certification No. 5409 (Approved 7/21/21)**
IC 35, 35 QT Cooler - **IGBC Certification No. 5410 (Approved 7/21/21)**

Siberian Coolers

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

ALPHA Coolers 22 Qt. Cooler: **IGBC Certification No. 5140 (Approved 4/27/17)**

ALPHA Coolers 45 Qt. Cooler: **IGBC Certification No. 5139 (Approved 4/27/17)**

ALPHA Coolers 65 Qt. Cooler: **IGBC Certification No. 5137 (Approved 4/25/17)**

ALPHA Coolers 85 Qt. Cooler: **IGBC Certification No. 5138 (Approved 4/25/17)**

Smak Plastics Inc.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Fish Box 165 Cooler - **IGBC Certification No. 5252 (Approved 5/3/19)**

Southern Sales & Marketing Group

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

20QT Cooler, Model # CLF-517646: **IGBC Certification No. 5214 (Approved 1/25/18)**

50QT Cooler, Model # CLF-517684: **IGBC Certification No. 5172 (Approved 10/30/17)**

75QT Cooler, Model # CLF-517769: **IGBC Certification No. 5209 (Approved 12/19/17)**

110QT Cooler, Model # CLF-517806: **IGBC Certification No. 5210 (Approved 12/19/17)**

Sportsman's Guide

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Guide Gear 20 QT Cooler - **IGBC Certification No. 5266 (Approved 10/8/19)**

SSMG, Inc.

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

20 Quart Cooler, Model #CKR-512153-WHI – **IGBC Certification No. 5093 (Approved 9/29/16)**

45 Quart Cooler, Model #CKR-512160-WHI – **IGBC Certification No. 5118 (Approved 11/01/16)**

75 Quart Cooler, Model #CKR-512177-WHI – **IGBC Certification No. 5088 (Approved 8/24/16)**

Techni Ice

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Techni Ice 37qt Signature Series - **IGBC Certification No. 5041 (Approved 6/22/16)**

Techni Ice 132qt Signature Series - **IGBC Certification No. 3755**

Taiga Coolers, LLC

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Taiga 55 QT Cooler, Model 01-055-000-W - **IGBC Certification No. 5403 (Approved 5/12/21)**

Truck gear by Line-X

COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Expedition 20 QT Cooler - **IGBC Certification No. 5246 (Approved 12/4/18)**

Way Coolers **COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT**

MX70 (Tested as Blackrock Model 70 and Mammoth Model MD75) - **IGBC Certification No. 5125**

MX90 (Tested as Blackrock Model 90 and Mammoth Model MD95) - **IGBC Certification No. 5126**

MX110 (Tested as Blackrock Model 110 and Mammoth Model MD115) - **IGBC Certification No. 5127**

MX150 (Tested as Blackrock Model 150 and Mammoth Model MD160) - **IGBC Certification No. 5128**

MX60 (Tested as Mammoth Cooler Model MD50) - **IGBC Certification No. 5129**

MX50 (Tested as Mammoth Cooler Model MD60) - IGBC Certification No. 5130
MP60 (Tested as Blackbird Cooler MT65) - IGBC Certification No. 5131
MP75 (Tested as Blackbird Cooler MT75) - IGBC Certification No. 5132
MP90 (Tested as Blackbird Cooler MT110) - IGBC Certification No. 5133
MP120 (Tested as Blackbird Cooler MT125) - IGBC Certification No. 5134

West Marine COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

West Marine Cooler 120 QT - IGBC Certification No. 5268 (Approved 10/22/19)

Words from the Woods COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

RTIC Hard Cooler, Model 45 QT - IGBC Certification No. 5426 (Approved 6/22/22)

Wyld Gear COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

Hard Cooler 25 QT - IGBC Certification No. 5237 (Approved 6/18/18)
Freedom Series 25QT, Model HC25 - IGBC Certification No. 5420 (Approved 6/13/22)
Freedom Series 50QT, Model HC50 - IGBC Certification No. 225434 (Approved 10/7/22)
Freedom Series 65QT, Model HC65 - IGBC Certification No. 5412 (Approved 9/6/21)
Freedom Series 75QT, Model HC75 - IGBC Certification No. 225431 (Approved 8/4/22)
Freedom Series 90QT, Model HC90 - IGBC Certification No. 225465 (Approved 12/01/22)
Freedom Series 110QT, Model HC110 - IGBC Certification No. 225433 (Approved 10/7/22)

YETI Coolers COOLERS REQUIRE USE OF BOLTS OR PADLOCKS TO BE BEAR-RESISTANT

45 QT Cooler - IGBC Certification No. 5329
Roadie Cooler 20 - IGBC Certification No. 3716
Tundra Cooler 35 - IGBC Certification No. 3717
Tundra Cooler 45 - IGBC Certification No. 3701
Tundra Cooler 50 - IGBC Certification No. 3390
Tundra Cooler 60 – IGBC Certification No. 5211
Tundra Cooler 65 - IGBC Certification No. 3702
Tundra Cooler 75 - IGBC Certification No. 3391
Tundra Cooler 85 - IGBC Certification No. 4882
Tundra Cooler 105 - IGBC Certification No. 3392
Tundra Cooler 110 - IGBC Certification No. 3393
Tundra Cooler 120 - IGBC Certification No. 3704
Tundra Cooler 125 - IGBC Certification No. 3394
Tundra Cooler 155 - IGBC Certification No. 4883
Tundra Cooler 160 - IGBC Certification No. 3395
Tundra Cooler 210 - IGBC Certification No. 5017
Tundra Cooler 250 - IGBC Certification No. 3703
Tundra Cooler 350 - IGBC Certification No. 5032
Tundra Cooler 420 –IGBC Certification No. 3718

GARBAGE CONTAINERS, FOOD STORAGE LOCKERS & RECYCLING UNITS

Alarik Industries LLC

Bear Tote model 001, 96-gallon plastic residential garbage container, measuring 43”high, 43”long, 28” wide, 33” deep, requiring 2 padlocks - IGBC Certification No. 3357

Athens Services

Athens Bear Barrel Model 95 gallon garbage cart - **IGBC Certification No. 5043**

Anaconda Job Corps

Metal Frame for Regular Residential Garbage Cart - **IGBC Certification No. 5281**

Steel Enclosure - **IGBC Certification No. 5330**

Bear Block, LLC

Bear Block garbage cart, Model RS5000.4.48XTOTER – **IGBC Certification No. 5402 (Approved 5/12/21)**

Bear Block garbage cart, Model RS 5000 – **IGBC Certification No. 5069 (Approved 5/27/16)**

BearGuard Co. Ltd.

Enclosure low profile, reversible single door – **IGBC Certification No. 5334 (Approved 10/30/2008)**

Bear Guardian

Bitterroot Series w/paddle latch - **IGBC Certification No. 5275 (Approved 6/10/10)**

Bear Necessities

70 Gallon Garbage Enclosure - **IGBC Certification No. 5283 (Approved 8/28/05)**

Beaver Creek Resort

Steel Enclosure – 35 Gallon - **IGBC Certification No. 5335 (Approved 2/15/09)**

BurrTec Waste Industries, Inc

95 gallon polycart with reinforced front and sides near the lid - **IGBC Certification No. 3352**

CanShed, LLC

CanShed 3 Slider garbage can enclosure – **IGBC Certification No. 3754**

Capital Industries

2-yd³ Rear-Load Dumpster

3 yd³ Dumpster – **IGBC Certification No. 5276**

Carneys Waste

65 Gal IPL Polycart – **IGBC Certification No. 5337 (Approved 11/13/08)**

Carson Valley Welding

“No Bear Can” Steel Garbage Can Enclosure - **IGBC Certification No. 5289**

Cascade Engineering

The Bear Cart, 96-gallon poly cart, model # 96A- **IGBC Certification No. 3705**

95-gallon poly cart- **IGBC Certification No. 5290 (Approved 12/03/05)**

64 gallon poly cart, model #1- **IGBC Certification No. 5291 (Approved 10/29/11)**

96 gallon poly cart, model #3- **IGBC Certification No. 5292 (Approved 10/29/11)**

Colorado Correctional Industries

1.5yd Rear Load Dumpster, Model: WM1.5CDREL-BPL	IGBC Certification No.: 5193
2yd Rear Load Dumpster, Model: WM2CDREL-BPL	IGBC Certification No.: 5194
2yd Front Load Dumpster, Model: WM2CDFEL-BPL	IGBC Cert. No.: 5195
3yd Rear Load Dumpster, Model: WM3CDREL-BPL	IGBC Certification No.: 5196
3yd Front Load Dumpster, Model: WM3CDFEL-BPL	IGBC Certification No.: 5197
4yd Front Load Dumpster, Model: WM4CDFEL-BPL	IGBC Certification No.: 5198
6yd Front Load Dumpster, Model: WM6CDFEL-BPL	IGBC Certification No.: 5199
8yd Front Load Dumpster, Model: WM8CDFEL-BPL	IGBC Certification No.: 5200
95 Gal. Roll-Away Cart, Model: MPBP95C	IGBC Certification No: 5201
32 Gal. Double Residential, Model: MPBPF32C	IGBC Certification No: 5202
32 Gal. Single Residential, Model: MPBPFS32C	IGBC Certification No.: 5203
35 Gal. Double Residential, Model: MPBPF35C	IGBC Certification No.: 5204
35 Gal. Single Residential, Model: MPBPFS35C	IGBC Certification No.: 5205
95 Gal. Double Residential, Model: MPBPFDC2	IGBC Certification No.: 5206
95 Gal. Single Residential, Model: MPBPFSC	IGBC Certification No.: 5207
Quick Release Locking System, Model: MPBPQRS	IGBC Certification No.: 5208
70 Gallon Tip-Out, Model: MPBPFS70G	IGBC Certification No.: 5293
Single Campsite Food Storage Locker	IGBC Certification No.: 5299 (Approved 5/10/05)

Critter Guard

65 Gallon IPL Polycart - IGBC Certification No. 5348 (Approved 11/14/08)

Dawg Inc.

95 Gal Polycart - IGBC Certification No. 5349 (Approved 3/18/07)

Duck River Services

Garbage Can Enclosure GCE, Model 68-13582 - IGBC Certification # 235469 (Approved 07-25-23)
931-797-6455 www.DuckRiverGCE.com

Egan Machine

Bear Proof Box, Model # BPB20 - IGBC Certification No. 5115 (Approved 11/1/16)

Enterprise Sales, Inc.

2.0-yd³ Rear-Load Dumpster - IGBC Certification No. 3471 (Approved 2/2/12)
3.5-yd³ Rear-Load Dumpster - IGBC Certification No. 3490 (Approved 2/2/12)
3.5 yd³ Rear-Load Dumpster - IGBC Certification No. 5296 (Approved 8/04/11)

Grizzly Fabrication

Food storage locker, 12 cu³ ft, Model 612-RE – IGBC Certification No. 5184 (Approved 6/9/12)
Retrofit for 12 cu³ ft locker, Model 612RETRO-RE – IGBC Certification No. 5188 (Approved 11/27/12)
Bear-resistant dumpster cover, Model 651 RE – IGBC Certification No. 5182 (Approved 6/9/12)
Collapsible Aluminum Food Storage Locker, Model 610-RE – IGBC Certification No. 5183 (Approved 6/9/12)
(307)271-1267 grizfab@outlook.com www.grizfab.com

Growler Can

95 Gal rollout WITH metal plates on sides and front - **IGBC Certification No. 5297 (Approved 7/14/10)**

Jamestown Advanced Products Corp

24 ft³ Food Storage Locker – **IGBC Certification No. 3766**

24 ft³ Food Storage Locker, Model 16803-001 – **IGBC Certification No. 5215 (Approved 2/16/18)**

30 ft³ Food Storage Locker, Model 16804-001 – **IGBC Certification No. 5216 (Approved 2/16/18)**

30 ft³ Stackable Food Locker, Model 16808-001 – **IGBC Certification No. 5217 (Approved 2/16/18)**

15 ft³ Food Locker, Model 16802-001 – **IGBC Certification No. 5221 (Approved 2/23/18)**

24 ft³ Stackable Food Locker, Model 16807-001 – **IGBC Certification No. 5222 (Approved 2/23/18)**

26 ft³ Food Locker with Sloped Lid, Model 16842-001 – **IGBC Certification No. 5223 (Approved 2/23/18)**

2-yd³ Front-Load Dumpster – **IGBC Certification No. 5307 (Approved 9/25/08)**

JP Enterprises

Steel Garbage Can Enclosure (Double – 30 gal.) - **IGBC Certification No. 5308 (Approved 8/7/08)**

Pride Metal

24 Cu Ft Food Storage Container, Model S124– **IGBC Cert. No. 5161 (Approved 6/27/17)**

Animal-Resistant Trash Receptacle, Model 98922A – **IGBC Certification No. 5162 (Approved 6/27/17)**

Rehrig Pacific Co.

65EG Bear Cart, Semi-Automated Med. with Body Bar & Bite Guard – **IGBC Certification No. 5249 (Approved 5/1/19)**

35EG Bear Cart, Semi-Automated Cart with Latch Bite Guard – **IGBC Certification No. 5400 (Approved 5/12/21)**

Republic Services - Montana

Capital Industries Dumpster – **IGBC Certification No. 5336 (Approved 6/2/04)**

RJ Thomas Co., Inc.

Food Storage Locker, Model # BPFL-D-30 – **IGBC Certification No. 5258 (Approved 6/12/19)**

Food Storage Locker, Model # BPFL-25 (new latching system since product with cert # 3372 tested so assigned new cert #)– **IGBC Certification No. 5123 (Approved 12/6/16)**

Food Storage Locker, Model # BPFL-15/#1 – **IGBC Certification No. 5104 (Approved 10/26/16)**

Food Storage Locker, Model # BPFL-T-18 – **IGBC Certification No. 5263 (Approved 9/3/19)**

Food Storage Locker, Model # BPFL-30/#1 – **IGBC Certification No. 5105 (Approved 10/26/16)**

Trash/Recycling Receptacle, Model # BPRT1-36/#1 – **IGBC Certification No. 5106 (Approved 10/26/16)**

Trash/Recycling Receptacle, Model # BPRT2-72 – **IGBC Certification No. 5124 (Approved 12/6/16)**

Trash/Recycling Receptacle, Model # BPRT3-108/#1 – **IGBC Certification No. 5107 (Approved 10/26/16)**

Rollins Machinery

65 Gallon Polycart – **IGBC Certification No. 5316 (Approved 11/13/08)**

Solid Waste Systems Equipment

95 Gal Polycart, New IPL Mold (no chain/wing/stake assembly) – **IGBC Certification No. 5317 (Approved 3/5/05)**

Grease Trap – **IGBC Certification No. 5318 (Approved 4/27/04)**

95 Gal Polycart – **IGBC Certification No. 5319 (Approved 6/3/04)**

64 Gal Polycart w/angle iron – **IGBC Certification No. 5320 (Approved 6/3/04)**

95 Gal Polycart (Rehrig-Pacific cart) – **IGBC Certification No. 5321 (Approved 11/13/08)**

95 Gal Polycart (IPL cart) – **IGBC Certification No. 5322 (Approved 1/20/09)**

Toter LLC

Polycart 32 gallon, Model 79B32, semi-automated - **IGBC Certification Number 5236 (Approved 6/18/18)**

Polycart 64 gallon, Model 79B64, semi-automated - **IGBC Certification Number 3368 (Approved 03/01/11)**

Polycart 96 gallon, Model 79B96, semi-automated - **IGBC Certification Number 3367 (Approved 10/07/09)**

Ultratec Equipment Sales

4-yd³ Refuse Container - **IGBC Certification Number 5324 (Approved 11/14/06)**

Refuse Cabinet (holds two, 32-gal polycarts) - **IGBC Certification Number 5325 (Approved 11/14/06)**

Wasteline Containers Ltd.

6 yd. Sloper, Model FLS-6S – **IGBC Certification No. 5095 (Approved 10/24/16)**

Waste Solutions

95 Gallon Polycart – **IGBC Certification No. 5326 (Approved 11/9/04)**

95 Gallon Polycart (OTTO cart) – **IGBC Certification No. 5327 (Approved 12/29/04)**

Western Disposal Service

WDS Auto Gen II, Model #C1, 32 gal garbage cart - **IGBC Certification No. 5034**

WDS Auto Gen II, Model #C2, 32 gal garbage cart with upside down tip lock - **IGBC Certification No. 5035**

WDS 2nd Gen 64, Model #3, 64 gal garbage cart with tip-over lock - **IGBC Certification No. 5042**

WDS 2nd Gen 96, Model #5, 96 gal garbage cart with tip-over lock - **IGBC Certification No. 5049**

WDS 32 gallon manual garbage cart - **IGBC Certification No. 5053**

WDS 32 gallon automated garbage cart - **IGBC Certification No. 5054**

WDS 32 gallon automated garbage cart - **IGBC Certification No. 5055**

WDS 64 gallon manual garbage cart - **IGBC Certification No. 5056**

WDS 64 gallon automated garbage cart - **IGBC Certification No. 5057**

WDS 96 gallon manual garbage cart - **IGBC Certification No. 5058**

WDS 96 gallon automated garbage cart - **IGBC Certification No. 5059**

LIST C - ELECTRIC FENCES

The IGBC recommends several electric fence designs that have been proven effective in deterring grizzlies and are an option for securing bear attractants in areas frequented by grizzly bears. The first design is intended for longer term applications including securing livestock, fruit trees, compost piles, chicken coops and other attractants on private lands, as well as securing outfitter camps on both public and private lands.

The second design describes components of portable electric fences that can be used when recreating in bear country to secure attractants and campsites, or whenever a temporary means of securing bear attractants is needed. Please consult with the land management authority for the area you plan to recreate in for information about specific food storage requirements in that area.

A Note About Proper Use of Electric Fences:

Common reasons for electric fence failures include failing to turn the fence on at night, improperly grounding the fence, inadequately clearing weeds, shrubs or trees shorting out fences, and failing to fully charge batteries. Protecting energizers from excessive jarring and moisture will also minimize chances of energizer malfunction (i.e. broken internal wiring or on/off switches) and the resulting electric fence failure. To ensure that fences are working properly, test the amount of voltage flowing through the fence using one of the economical and lightweight voltage testers that are now available.

Two Tech Tips bulletins from the US Forest Service's Missoula Technology and Development Center provide an excellent overview of electric fencing and proven recommendations for setting up an effective electric fences. Relevant Tech Tips bulletins are available online by visiting the links below, or by calling the Missoula Technical Development Center at 1-406-329-3900.

- *Northern Continental Divide Electric Fence System Pub# 9923-2321 MTDC*
<http://www.fs.fed.us/t-d/> (username: t-d: password: t-d)
- *Portable Mesh Electric Fence System Pub# 0723-2305 MTDC*
<http://www.fs.fed.us/t-d/> (username: t-d: password: t-d)

Semi – or Permanent Fence Designs

The seven strand electric fence has applicability in situations such as permitted base outfitter camps, or around beehives, orchards or chicken coops on private land where the fence is typically in place for a longer period of time.

Table 1. Summary of Recommended Specifications for Permanent and Semi-Permanent Electric Fences.

Summary of Permanent and Semi-Permanent Electric Fence Specifications	
Minimum Required Voltage	5000 Volts
Minimum Number of Shocks per Minute	40
Minimum Ground Rod Length	18 to 24 inches in length (1.5 to 2 feet)
Minimum Distance Between Fence and Items Inside	36 inches (3 feet)
Voltmeter Required?	YES
Minimum Energizer Output	0.7 joules
Minimum Fence Height Required	48 inches (4 feet)
Minimum Post Length	48 inches (4 feet)
Minimum Fence Height	48 inches (4 feet)
Maximum Spacing between Posts	96 inches (8 feet)
Minimum Number of Strands of Wire	7
Maximum Distance between Wire Strands	10 inches (.83 feet)
Ground Wire Return System Required (alternating hot and ground wires)	
Fence Wires Must Be Either Smooth Metal Fence Wire (16 gauge minimum) or Polywire with at Least Six Strands of Stainless Steel Wire	

Portable Electric Fence Designs

Portable electric fences are an effective method of temporary food storage in grizzly bear country. Table 2 summarizes the minimum specifications necessary to deter grizzlies. These specifications may be updated as additional testing of portable electric fences are tested in areas frequented by grizzlies.

Table 2. Summary of Recommended Specifications for Portable Electric Fences.

Summary of Recommended Portable Electric Fence Specifications	
Minimum Required Voltage	5000 Volts
Minimum Number of Shocks per Minute	35
Minimum Ground Rod Length	12 inches (1 foot)
Minimum Distance Between Fence and Items Inside	1.50 feet (18 inches)
Voltmeter Required?	YES
Minimum Energizer Output	0.11 joules
Minimum Fence Height Required	33 inches (2.75 feet)
Minimum Post Length	42 inches (3.5 feet)
Minimum Number of Horizontal Wires	7
Maximum Fence Length	720 inches (60 feet)
Minimum Number of LED Lights	2
Minimum Number of Stainless Steel Wire Strands Per Horizontal Wire	3
Maximum Size of Horizontal Opening in Mesh	12 inches (1 foot)
Minimum Pulse Duration	0.05 milliseconds
Post Construction	Polyethylene (allowed) or Fiberglass (recommended); with metal spike on bottom
At Least One Readable Placard Warning that Fence is Electrified	

IGBC-CERTIFIED PORTABLE ELECTRIC FENCING PRODUCTS

Products listed in Table 3 below meet IGBC minimum requirements for portable electric fences. Fences must be built according to the specifications listed in Table 2 and must be working properly in order to meet food storage regulations in areas where portable electric fences are allowed.

This does not imply that the products listed below can be used to meet food storage regulations on all public lands. Please check with the appropriate land management authority for guidance regarding acceptable methods of meeting food storage orders in that area.

Table 3. IGBC-Certified Portable Electric Fencing Products

<p>UDAP Industries, Inc. - Bear Shock Fence</p> <p><i>Portable Bear Net Electric Fence built according to specifications in Pub# 0723-2305 MTDC</i></p> <p>406-494-9292 or 866 BEAR 911 http://www.PepperPower.com</p>
<p>Counter Assault – Pentagon Electric Bear Fence</p> <p><i>Portable Mesh Electric Fence built according to specifications in Pub# 0723-2305 MTDC</i></p> <p>406-257-4740 or 800-695-3394 http://www.counterassault.com</p>
<p>Patriot - Bear & Nuisance Animal Fence Kit (Approved 5/10/16)</p> <p><i>Portable Mesh Electric Fence built according to specifications in Pub# 0723-2305 MTDC</i></p> <p>800-874-8494 www.tru-test.com</p> <p>Note: this kit does not contain an energizer to power the electric fence. In order to meet IGBC specifications, an energizer meeting the specifications set forth in Pub# 0723-2305 MTDC must be used with the kit. The kit recommends using either the Stafix/Speedrite AN90 or the Patriot PB12 model energizer, both of which meet IGBC specifications.</p>